EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S81	2094	((web adj1 (page document)) (data adj1 (unit page document))) near50 ((phone telephone) adj3 (number identifier identification representation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S82	999	S81 and ((scan scanned scanning recognize recognized recognizing recognition define defined defining determine determined determining detect detected detecting detection identify identified identifying) near20 ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S83	387	S82 and ((initiate initiated initiating initiation initialize initialized initializing initialization initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing) near15 ((phone telephone) adj3 (call called calling)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S84	139	S83 and ((attribute highlight highlighted highlighting color underline underlined underlining font bold italic enhace enhanced enhancing) near10 (phone telephone number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S85	12901	((715/700,764,765,772,781,810,821,846,856,862) or (715/501.1,503,526,528,830,531) or (345/157,426,581,589) or (379/90.01,93.23)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/25 14:50
S86	9	S85 and S84	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S87	317	S85 and (((web adj1 (page document)) (data adj1 (unit page document))) and ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S88	134	S87 and ((scan scanned scanning recognize recognized recognizing recognition define defined defining determine determined determining determination detect detected detecting detection identify identified identifying identification) near20 ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S89	64	S88 and ((initiate initiated initiating initiation initialize initialized initializing initialization initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing) near20 ((phone telephone) adj3 (call called calling communication communicate communicated)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S90	25	S89 and ((attribute highlight highlighted highlighting color underline underlined underlining font bold italic enhace enhanced enhancing) near20 (phone telephone number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S91	627	S81 and ((link hyperlink hotspot (hot adj1 spot) url) near10 ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S92	17	S85 and S91	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S93	87	S85 and (((web adj1 (page document)) (data adj1 (unit page document))) same ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S94	22	S93 and ((link hyperlink hotspot (hot adj1 spot) url) near10 ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50

S95	2094	((web adj1 (page document)) (data adj1 (unit page document))) near50 ((phone telephone) adj3 (number identifier identification representation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S96	999	S95 and ((scan scanned scanning recognize recognized recognizing recognition define defined defining determine determined determining detect detected detecting detection identify identified identifying) near20 ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S97	387	S96 and ((initiate initiated initiating initiation initialize initialized initializing initialization initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing) near15 ((phone telephone) adj3 (call called calling)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S98	139	S97 and ((attribute highlight highlighted highlighting color underline underlined underlining font bold italic enhace enhanced enhancing) near10 (phone telephone number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S99	11792	((715/700,764,765,772,781,810,821,846,856,862) or (715/501.1,503,526,528,830,531) or (345/157,426,581,589) or (379/90.01,93.23,142)).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/02/25 14:50
S100	87	S99 and (((web adj1 (page document)) (data adj1 (unit page document))) same ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S101	22	S100 and ((link hyperlink hotspot (hot adj1 spot) url) near10 ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S102	317	S99 and (((web adj1 (page document)) (data adj1 (unit page document))) and ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S103	134	S102 and ((scan scanned scanning recognize recognized recognizing recognition define defined defining determine determined determining determination detect detected detecting detection identify identified identifying identification) near20 ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S104	64	S103 and ((initiate initiated initiating initiation initialize initialized initializing initialization initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing) near20 ((phone telephone) adj3 (call called calling communication communicate communicated)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S105	25	S104 and ((attribute highlight highlighted highlighting color underline underlined underlining font bold italic enhace enhanced enhancing) near20 (phone telephone number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S106	74	S103 and ((initiate initiated initiating initiation initialize initialized initializing initialization initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing connect connected connecting) near20 ((phone telephone) adj3 (call called calling communication communicate communicated)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S107	27	S106 and ((attribute highlight highlighted highlighting color underline underlined underlining font bold italic enhace enhanced enhancing) near20 (phone telephone number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S108	110585	(phone telephone).ab. and (number identifier identification representation).ab.	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S109	22511	S108 and ((initiate initiated initiating initiation initialize initialized initializing initialization initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing connect connected connecting).ab. and (call called calling).ab.)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S110	131	S109 and ((web adj1 (page document)).ab. or (data adj1 (unit page document)).ab. or webpage.ab.)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50

S111	2094	((web adj1 (page document)) (data adj1 (unit page document))) near50 ((phone telephone) adj3 (number identifier identification representation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S112	999	S111 and ((scan scanned scanning recognize recognized recognizing recognition define defined defining determine determined determining detect detected detecting detection identify identified identifying) near20 ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S113	387	S112 and ((initiate initiated initiating initiation initialize initialized initializing initialization initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing) near15 ((phone telephone) adj3 (call called calling)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S114	139	S113 and ((attribute highlight highlighted highlighting color underline underlined underlining font bold italic enhace enhanced enhancing) near10 (phone telephone number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S115	12901	((715/700,764,765,772,781,810,821,846,856,862) or (715/501.1,503,526,528,830,531) or (345/157,426,581,589) or (379/90.01,93.23)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/25 14:50
S116	87	S115 and (((web adj1 (page document)) (data adj1 (unit page document))) same ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S117	22	S116 and ((link hyperlink hotspot (hot adj1 spot) url) near10 ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S118	110585	(phone telephone).ab. and (number identifier identification representation).ab.	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S119	22511	S118 and ((initiate initiated initiating initiation initialize initialized initializing initialization initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing connect connected connecting).ab. and (call called calling).ab.)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S120	131	S119 and ((web adj1 (page document)).ab. or (data adj1 (unit page document)).ab. or webpage.ab.)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S121	11792	((715/700,764,765,772,781,810,821,846,856,862) or (715/501.1,503,526,528,830,531) or (345/157,426,581,589) or (379/90.01,93.23,142)).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/02/25 14:50
S122	317	S121 and (((web adj1 (page document)) (data adj1 (unit page document))) and ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S123	134	S122 and ((scan scanned scanning recognize recognized recognizing recognition define defined defining determine determined determining determination detect detected detecting detection identify identified identifying identification) near20 ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S124	74	S123 and ((initiate initiated initiating initiation initialize initialized initializing initialization initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing connect connected connecting) near20 ((phone telephone) adj3 (call called calling communication communicate communicated)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S125	27	S124 and ((attribute highlight highlighted highlighting color underline underlined underlining font bold italic enhace enhanced enhancing) near20 (phone telephone number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S126	2094	((web adj1 (page document)) (data adj1 (unit page document))) near50 ((phone telephone) adj3 (number identifier identification representation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50

S127	999	S126 and ((scan scanned scanning recognize recognized recognizing recognition define defined defining determine determined determining detect detected detecting detection identify identified identifying) near20 ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S128	387	S127 and ((initiate initiated initiating initiation initialize initialized initializing initialization initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing) near15 ((phone telephone) adj3 (call called calling)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S129	139	S128 and ((attribute highlight highlighted highlighting color underline underlined underlining font bold italic enhace enhanced enhancing) near10 (phone telephone number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S130	11792	((715/700,764,765,772,781,810,821,846,856,862) or (715/501.1,503,526,528,830,531) or (345/157,426,581,589) or (379/90.01,93.23)).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/02/25 14:50
S131	41	S130 and ((web adj1 (page document)) (data adj1 (unit page document))) near50 ((phone telephone) adj3 (number identifier identification representation))	US-PGPUB; USPAT	OR	ON	2008/02/25 14:50
S132	25	S131 and ((scan scanned scanning recognize recognized recognizing recognition define defined defining determine determined determining detect detected detecting detection identify identified identifying) near20 ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; USPAT	OR	ON	2008/02/25 14:50
S133	18	S132 and ((initiate initiated initiating initiation initialize initialized initializing initialization initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing) near15 ((phone telephone) adj3 (call called calling)))	US-PGPUB; USPAT	OR	ON	2008/02/25 14:50
S134	9	S133 and ((attribute highlight highlighted highlighting color underline underlined underlining font bold italic enhace enhanced enhancing) near10 (phone telephone number))	US-PGPUB; USPAT	OR	ON	2008/02/25 14:50
S135	41	S131 and (((web adj1 (page document)) (data adj1 (unit page document))) and ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; USPAT	OR	ON	2008/02/25 14:50
S136	24	S135 and ((initiate initiated initiating initiation initialize initialized initializing initialization initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing) near20 ((phone telephone) adj3 (call called calling communication communicate communicated)))	US-PGPUB; USPAT	OR	ON	2008/02/25 14:50
S137	13	S136 and ((link hyperlink hotspot (hot adj1 spot) url) near10 ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; USPAT	OR	ON	2008/02/25 14:50
S138	13	S137 and ((scan scanned scanning recognize recognized recognizing recognition define defined defining determine determined determining determination detect detected detecting detection identify identified identifying identification) near20 ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; USPAT	OR	ON	2008/02/25 14:50
S139	9	S138 and ((attribute highlight highlighted highlighting color underline underlined underlining font bold italic enhace enhanced enhancing) near20 (phone telephone number))	US-PGPUB; USPAT	OR	ON	2008/02/25 14:50
S140	1873	((web adj1 (page document)) (data adj1 (unit page document))) near50 ((phone telephone) adj3 (number identifier identification representation))	US-PGPUB; USPAT	OR	ON	2008/02/25 14:50
S141	586	S140 and ((link hyperlink hotspot (hot adj1 spot) url) near10 ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; USPAT	OR	ON	2008/02/25 14:50
S142	374	S141 and ((scan scanned scanning recognize recognized recognizing recognition define defined defining determine determined determining detect detected detecting detection identify identified identifying) near20 ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; USPAT	OR	ON	2008/02/25 14:50
S143	203	S142 and ((initiate initiated initiating initiation initialize initialized initializing initialization initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing) near15 ((phone telephone) adj3 (call called calling)))	US-PGPUB; USPAT	OR	ON	2008/02/25 14:50
S144	81	S143 and ((attribute highlight highlighted highlighting color underline underlined underlining font bold italic enhace enhanced enhancing) near10 (phone telephone number))	US-PGPUB; USPAT	OR	ON	2008/02/25 14:50

S145	110585	(phone telephone).ab. and (number identifier identification representation).ab.	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S146	22511	S145 and ((initiate initiated initiating initiation initialize initialized initializing initialization initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing connect connected connecting).ab. and (call called calling).ab.)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S147	131	S146 and ((web adj1 (page document)).ab. or (data adj1 (unit page document)).ab. or webpage.ab.)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 14:50
S148	1873	((web adj1 (page document)) (data adj1 (unit page document))) near50 ((phone telephone) adj3 (number identifier identification representation))	US-PGPUB; USPAT	OR	ON	2008/02/25 14:50
S149	954	S148 and ((scan scanned scanning recognize recognized recognizing recognition define defined defining determine determined determining detect detected detecting detection identify identified identifying) near20 ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; USPAT	OR	ON	2008/02/25 14:50
S150	381	S149 and ((initiate initiated initiating initiation initialize initialized initializing initialization initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing) near15 ((phone telephone) adj3 (call called calling)))	US-PGPUB; USPAT	OR	ON	2008/02/25 14:50
S151	139	S150 and ((attribute highlight highlighted highlighting color underline underlined underlining font bold italic enhace enhanced enhancing) near10 (phone telephone number))	US-PGPUB; USPAT	OR	ON	2008/02/25 14:50
S152	87	S130 and (((web adj1 (page document)) (data adj1 (unit page document))) same ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; USPAT	OR	ON	2008/02/25 14:50
S153	22	S152 and ((link hyperlink hotspot (hot adj1 spot) url) near10 ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; USPAT	OR	ON	2008/02/25 14:50
S154	317	S130 and (((web adj1 (page document)) (data adj1 (unit page document))) and ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; USPAT	OR	ON	2008/02/25 14:50
S155	134	S154 and ((scan scanned scanning recognize recognized recognizing recognition define defined defining determine determined determining determination detect detected detecting detection identify identified identifying identification) near20 ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; USPAT	OR	ON	2008/02/25 14:50
S156	74	S155 and ((initiate initiated initiating initiation initialize initialized initializing initialization initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing connect connected connecting) near20 ((phone telephone) adj3 (call called calling communication communicate communicated)))	US-PGPUB; USPAT	OR	ON	2008/02/25 14:50
S157	27	S156 and ((attribute highlight highlighted highlighting color underline underlined underlining font bold italic enhace enhanced enhancing) near20 (phone telephone number))	US-PGPUB; USPAT	OR	ON	2008/02/25 14:50
S158	35	(((web adj1 (page document)) page webpage (data adj1 (unit page document))).clm. and (phone telephone cellphone).clm. and (number identifier identification representation).clm. and (scan scanned scanning recognize recognized recognizing recognition define defined defining determine determined determining detect detected detecting detection identify identified identifying).clm. and (initiate initiated initiating initiation initialize initialized initializing initialization initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing).clm. and (call called calling dial dialed dialing).clm. and (attribute highlight highlighted highlighting color underline underlined underlining font bold italic enhace enhanced enhancing).clm. and (link linked linking hyperlink$3 hotspot (hot adj1 spot) url).clm.	US-PGPUB	OR	ON	2008/02/25 14:50

2/26/2008 6:59:16 PM
C:\Documents and Settings\xbautista\My Documents\EAST\Workspaces\10614394rce.wsp